



LED WORK LIGHT CATALOG

LED TAIL LIGHT

PRODUCT NO. **HY-HD2000(2010)**

Specifications

Material:ABS+LED
Voltage:DC12/24V
Color:White+Yellow+Red
Life Span:10000H
LED Chips: 2835
Number of LED:36
Waterproof rating:IP65
Mountings :Bolt Mounting
work model:Tail+Rear position+Reverse+Turn
Applicable:Car,Truck,Trailer,Pickup Truck,Forklift,ATV,
Motorcycle,SUV,Construction Vehicles,Boat
Product size: 432×40×141mm

Packaging Information

Box Size:70×38×34cm
Packing Type:Neutral box
Quantity Per Carton:20PCS



PRODUCT NO. **HY-GD2000(2015)**

Specifications

Material:ABS+LED
Voltage:DC12/24V
Color:White+Yellow+Red
Life Span:10000H
LED Chips: 2835
Number of LED:36
Waterproof rating:IP65
Mountings :Bolt Mounting
work model:Tail+Rear position+Reverse+Turn
Applicable:Car,Truck,Trailer,Pickup Truck,Forklift,ATV,
Motorcycle,SUV,Construction Vehicles,Boat
Product size: 432×40×141mm

Packaging Information

Box Size:70×38×34cm
Packing Type:Neutral box
Quantity Per Carton:20PCS



PRODUCT NO. **HY-GD2000(2018)**

Specifications

Material:ABS+LED
Voltage:DC12/24V
Color:White+Yellow+Red
Life Span:10000H
LED Chips: 2835
Number of LED:36
Waterproof rating:IP65
Mountings :Bolt Mounting
work model:Tail+Rear position+Reverse+Turn
Applicable:Car,Truck,Trailer,Pickup Truck,Forklift,ATV,
Motorcycle,SUV,Construction Vehicles,Boat
Product size: 432×40×141mm

Packaging Information

Box Size:70×38×34cm
Packing Type:Neutral box
Quantity Per Carton:20PCS



LED TAIL LIGHT


PRODUCT NO. **HY-GD2018**

Specifications

Material: Aluminum+PC
Voltage: 9-80V
LED Chips: 3030
Number of LEDs: 26
Color Temperature: 6500K
LifeSpan: 30000H
IP Rating: IP67
Light Type: Spot
Light Color: White or Yellow/Blue
Modes: DRL/Strobe



Mounting Options:



Packaging Information

Product Weight: 175g
Inner Box Size: 110×88×35mm
Outer Box Size: 45×37×23cm
Packing Type: Neutral color box
Quantity Per Carton: 100PCS





PRODUCT NO. **HY-GD2017**

Specifications

Material: Aluminum+PC
Voltage: 9-80V
LED Chips: 3030
Number of LEDs: 24
Color Temperature: 6500K
LifeSpan: 30000H
IP Rating: IP67
Light Type: Spot
Light Color: White or Yellow/Blue
Modes: DRL/Strobe



Mounting Options:



Packaging Information

Product Weight: 175g
Inner Box Size: 110×88×35mm
Outer Box Size: 45×37×23cm
Packing Type: Neutral color box
Quantity Per Carton: 100PCS



LED WORK LIGHT

PRODUCT NO. **HY-GD2001**

Thickness:20mm

Specifications

Power:27W
Material:Aluminum+PC
Voltage:9-80V
LED Chips:3030
Number of LEDs:9
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP67
Light Type:Spot
Light Color:White

Packaging Information

Product Weight:180g
Inner Box Size:160×120×35mm
Outer Box Size:58×32×38cm
Packing Type:Neutral color box
Quantity Per Carton:100PCS

Thickness:28/32mm

Specifications

Power:27W
Material:Aluminum+PC
Voltage:9-80V
LED Chips:3030
Number of LEDs:14
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP67
Light Type:Spot
Light Color:White

Packaging Information

Product Weight:225g/240g
Inner Box Size:160×120×35mm
Outer Box Size:58×32×38cm
Packing Type:Neutral color box
Quantity Per Carton:100PCS

Thickness:42/50mm

Specifications



Power:27W
Material:Aluminum+PC
Voltage:9-80V
LED Chips:3030
Number of LEDs:14
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP67
Light Type:Spot
Light Color:White

Packaging Information

Product Weight:180g
Inner Box Size:130×130×65mm
Outer Box Size:67×27×34cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS



Mounting Options:



LED WORK LIGHT

PRODUCT NO. **HY-GD2003**

Thickness:20mm

Specifications

Power:27W
Material:Aluminum+PC
Voltage:9-80V
LED Chips:3030
Number of LEDs:9
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP67
Light Type:Spot
Light Color:White

Packaging Information

Product Weight:185g
Inner Box Size:160×120×35mm
Outer Box Size:58×32×38cm
Packing Type:Neutral color box
Quantity Per Carton:100PCS

Thickness:28/32mm

Specifications

Power:27W
Material:Aluminum+PC
Voltage:9-80V
LED Chips:3030
Number of LEDs:14
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP67
Light Type:Spot
Light Color:White

Packaging Information

Product Weight:225g/255g
Inner Box Size:160×120×35mm
Outer Box Size:58×32×38cm
Packing Type:Neutral color box
Quantity Per Carton:100PCS

Thickness:42/50mm

Specifications

Power:27W
Material:Aluminum+PC
Voltage:9-80V
LED Chips:3030
Number of LEDs:14
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP67
Light Type:Spot
Light Color:White

Packaging Information

Product Weight:345g/420g
Inner Box Size:130×130×65mm
Outer Box Size:67×27×34cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS

Thickness:55mm


Specifications

Power:27W
Material:Aluminum+PC
Voltage:9-80V
LED Chips:3030
Number of LEDs:9
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP67
Light Type:Spot
Light Color:White

Packaging Information

Product Weight:450g
Inner Box Size:130×130×75mm
Outer Box Size:67×27×34cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS

Mounting Options:



LED WORK LIGHT


PRODUCT NO. **HY-GD2006**

Specifications

Material: Aluminum+PC
Voltage: 9-80V
LED Chips: CREE
Number of LEDs: 4
Color Temperature: 6500K
LifeSpan: 30000H
IP Rating: IP65
Light Type: Spot
Light Color: White or Yellow



Mounting Options:



Packaging Information

Product Weight: 490g
Inner Box Size: 110×88×100mm
Outer Box Size: 54×23×46cm
Packing Type: Neutral color box
Quantity Per Carton: 50PCS




PRODUCT NO. **HY-GD2007**

Specifications

Power: 48W
Material: Aluminum+PC
Voltage: 9-80V
LED Chips: Bridgelux
Number of LEDs: 16
Color Temperature: 6500K
LifeSpan: 30000H
IP Rating: IP67
Light Type: Spot
Light Color: White



Mounting Options:



Packaging Information

Product Weight: 635g
Inner Box Size: 175×135×98mm
Outer Box Size: 70×35×50cm
Packing Type: Neutral color box
Quantity Per Carton: 50PCS



LED WORK LIGHT


PRODUCT NO. **HY-GD2010**

Specifications

Material: Aluminum+PC
Voltage: 9-80V
LED Chips: Bridgelux
Number of LEDs: 17
Color Temperature: 6500K
LifeSpan: 30000H
IP Rating: IP67
Light Type: Spot
Light Color: White




Mounting Options:



Packaging Information

Product Weight: 630g
Inner Box Size: 190×190×56mm
Outer Box Size: 40×40×50cm
Packing Type: Neutral color box
Quantity Per Carton: 20PCS




PRODUCT NO. **HY-GD2004**

Specifications

Power: 18W
Material: Aluminum+PC
Voltage: 9-80V
LED Chips: 3030
Number of LEDs: 6
Color Temperature: 6500K
LifeSpan: 30000H
IP Rating: IP65
Light Type: Spot
Light Color: White



Mounting Options:



Packaging Information

Product Weight: 210g
Inner Box Size: 155×60×50mm
Outer Box Size: 52×33×33cm
Packing Type: Neutral color box
Quantity Per Carton: 100PCS



LED WORK LIGHT


PRODUCT NO. **HY-GD2016**

Specifications

Material: Aluminum+PC
Voltage: 9-80V
LED Chips: 3030
Number of LEDs: 18
Color Temperature: 6500K
LifeSpan: 30000H
IP Rating: IP65
Light Type: Spot
Light Color: White or Yellow



Mounting Options:



Packaging Information

Product Weight: 135g
Inner Box Size: 155×60×50mm
Outer Box Size: 52×33×33cm
Packing Type: Neutral color box
Quantity Per Carton: 100PCS




PRODUCT NO. **HY-GD2014**

Specifications

Power: 20W
Material: Aluminum+PC
Voltage: 9-80V
LED Chips: CREE+COB
Number of LEDs: 4
Color Temperature: 6500K
LifeSpan: 30000H
IP Rating: IP65
Light Type: Spot
Light Color: White or Yellow
or Blue or Red or Green
or Ice Blue or Pink



Mounting Options:



Packaging Information

Product Weight: 340g
Inner Box Size: 150×100×40mm
Outer Box Size: 43×21×45cm
Packing Type: Neutral color box
Quantity Per Carton: 50PCS



LED WORK LIGHT


PRODUCT NO. **HY-GD2015**

Specifications

Material:Aluminum+PC
Voltage:9-80V
LED Chips:CREE
Number of LEDs:6
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP65
Light Type:Spot
Light Color:White



Mounting Options:



Packaging Information

Product Weight:435g
Inner Box Size:140×120×70mm
Outer Box Size:68×28×37cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS





PRODUCT NO. **HY-GD2019**

Specifications

Power:102W
Material:Aluminum+PC
Voltage:9-80V
LED Chips:3030
Number of LEDs:34
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP65
Light Type:Spot+Flood(Comb)
Light Color:White



Mounting Options:



Packaging Information

Product Weight:320g
Inner Box Size:160×120×35mm
Outer Box Size:58×32×38cm
Packing Type:Neutral color box
Quantity Per Carton:100PCS



LED WORK LIGHT

PRODUCT NO. **HY-GD2021**

Specifications

Material:Aluminum+PC

Voltage:9-80V

LED Chips:3030

Number of LEDs:1

Color Temperature:6500K

LifeSpan:30000H


IP Rating:IP67

Light Type:Spot

Light Color:White+Yellow+RGB



Mounting Options:



Packaging Information

Product Weight:430g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



PRODUCT NO. **HY-GD2022**

Specifications

Material:Aluminum+PC

Voltage:9-80V

LED Chips:3030

Number of LEDs:1

Color Temperature:6500K

LifeSpan:30000H


IP Rating:IP67

Light Type:Spot

Light Color:White+Yellow+RGB



Mounting Options:



Packaging Information

Product Weight:390g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



LED WORK LIGHT

PRODUCT NO. **HY-GD2023**

Specifications


Power:16W
LM:2000Lm
Material:Aluminum
Voltage:9-36V
LED Chips:3030
Number of LEDs:10
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP67
Light Type:Spot
Light Color:White+Amber Beam

Packaging Information

Product Weight:394g
Inner Box Size:130×130×65mm
Outer Box Size:68×27.5×32cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS



Mounting Options:



PRODUCT NO. **HY-GD2024**

Specifications


Power:14W
LM:1200Lm
Material:Aluminum
Voltage:9-36V
LED Chips:3030
Number of LEDs:12
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP67
Light Type:Spot
Light Color:White+Amber Beam

Packaging Information

Product Weight:428g
Inner Box Size:130×130×65mm
Outer Box Size:68×27.5×32cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS



Mounting Options:



LED WORK LIGHT


PRODUCT NO. **HY-GD2025**

Specifications

Power:18W
LM:4500Lm
Material:Aluminum
Voltage:9-36V
LED Chips:3535
Number of LEDs:10
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP68
Light Type:Spot
Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:465g
Inner Box Size:130×130×65mm
Outer Box Size:68×27.5×32cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS




PRODUCT NO. **HY-GD2026**

Specifications

Power:19W
LM:3600Lm
Material:Aluminum
Voltage:9-36V
LED Chips:3535
Number of LEDs:8
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP68
Light Type:Spot
Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:444g
Inner Box Size:130×130×65mm
Outer Box Size:68×27.5×32cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS



LED WORK LIGHT

PRODUCT NO. **HY-GD2027**

Specifications


Power:16W
LM:1400Lm
Material:Aluminum
Voltage:9-36V
LED Chips:3030
Number of LEDs:14
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP68
Light Type:Spot
Light Color:White+Amber Beam

Packaging Information

Product Weight:477g
Inner Box Size:130×130×65mm
Outer Box Size:68×27.5×32mm
Packing Type:Neutral color box
Quantity Per Carton:50PCS



Mounting Options:



PRODUCT NO. **HY-GD2028**

Specifications


Power:19W
LM:3600Lm
Material:Aluminum
Voltage:9-36V
LED Chips:3030
Number of LEDs:12
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP68
Light Type:Spot
Light Color:White+Amber Beam

Packaging Information

Product Weight:490g
Inner Box Size:130×130×65mm
Outer Box Size:68×27.5×32mm
Packing Type:Neutral color box
Quantity Per Carton:50PCS



Mounting Options:



LED WORK LIGHT

PRODUCT NO. **HY-GD2029**

Specifications


Power:16W
LM:1600Lm
Material:Aluminum
Voltage:9-36V
LED Chips:3030
Number of LEDs:16
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP68
Light Type:Spot
Light Color:White+Amber Beam

Packaging Information

Product Weight:491g
Inner Box Size:130×130×65mm
Outer Box Size:68×27.5×32cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS



Mounting Options:



PRODUCT NO. **HY-GD2030**

Specifications


Power:19W
LM:3600Lm
Material:Aluminum
Voltage:9-36V
LED Chips:3030
Number of LEDs:15
Color Temperature:6500K
LifeSpan:30000H
IP Rating:IP68
Light Type:Spot
Light Color:White+Amber Beam

Packaging Information

Product Weight:459g
Inner Box Size:130×130×65mm
Outer Box Size:68×27.5×32cm
Packing Type:Neutral color box
Quantity Per Carton:50PCS



Mounting Options:



LED WORK LIGHT

PRODUCT NO. **HY-GD2031**

Specifications

Power:22W

LM:1600Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:16

Color Temperature:6500K

LifeSpan:30000H


IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:480g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



PRODUCT NO. **HY-GD2032**

Specifications

Power:20W

LM:1600Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:8

Color Temperature:6500K

LifeSpan:30000H



IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:450g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



LED WORK LIGHT

PRODUCT NO. **HY-GD2033**

Specifications

Power:20W

LM:2400Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:12

Color Temperature:6500K

LifeSpan:30000H



IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:500g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



PRODUCT NO. **HY-GD2034**

Specifications

Power:22W

LM:2400Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:12

Color Temperature:6500K

LifeSpan:30000H



IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:500g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



LED WORK LIGHT

PRODUCT NO. **HY-GD2035**

Specifications

Power:28W

LM:2700Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:6

Color Temperature:6500K

LifeSpan:30000H


IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:470g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



PRODUCT NO. **HY-GD2036**

Specifications

Power:28W

LM:2700Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:6

Color Temperature:6500K

LifeSpan:30000H



IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:470g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



LED WORK LIGHT

PRODUCT NO. **HY-GD2037**

Specifications

Power:28W

LM:2700Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:6

Color Temperature:6500K

LifeSpan:30000H



IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:470g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



PRODUCT NO. **HY-GD2038**

Specifications

Power:28W

LM:2700Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:6

Color Temperature:6500K

LifeSpan:30000H



IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:470g

Inner Box Size:130×130×65mm

Outer Box Size:68×27.5×32cm

Packing Type:Neutral color box

Quantity Per Carton:50PCS



LED WORK LIGHT

PRODUCT NO. **HY-GD2039**

Specifications

Power:34W

LM:2700Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:18

Color Temperature:6500K

LifeSpan:30000H


IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:700g

Inner Box Size:170×130×60mm

Outer Box Size:35×27×32.5cm

Packing Type:Neutral color box

Quantity Per Carton:20PCS



PRODUCT NO. **HY-GD2040**

Specifications

Power:44W

LM:2700Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:9

Color Temperature:6500K

LifeSpan:30000H


IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam



Mounting Options:



Packaging Information

Product Weight:700g

Inner Box Size:170×130×60mm

Outer Box Size:35×27×32.5cm

Packing Type:Neutral color box

Quantity Per Carton:20PCS



LED WORK LIGHT

PRODUCT NO. **HY-GD2041**

Specifications

Power:41W

LM:2700Lm

Material:Aluminum

Voltage:9-36V

LED Chips:3030

Number of LEDs:11

Color Temperature:6500K

LifeSpan:30000H

IP Rating:IP68

Light Type:Spot

Light Color:White+Amber Beam

Packaging Information

Product Weight:700g

Inner Box Size:170×130×60mm


Outer Box Size:35×27×32.5cm

Packing Type:Neutral color box

Quantity Per Carton:20PCS



Mounting Options:



LED WORK LIGHT

PRODUCT NO. **HY-GD2011**

Specifications

20LED 60W

Product Weight:310g

Inner Box Size:11×7×10mm

Outer Box Size:57×37×22cm

Quantity Per Carton:50PCS

40LED 120W

Product Weight:475g

Inner Box Size:16×7×10mm

Outer Box Size:52×35×37cm

Quantity Per Carton:50PCS

60LED 180W

Product Weight:635g

Inner Box Size:25×9×7.5mm

Outer Box Size:27×38×40cm

Quantity Per Carton:20PCS

80LED 240W

Product Weight:795g

Inner Box Size:35×9×7.5mm

Outer Box Size:37×38×40cm

Quantity Per Carton:20PCS

Specifications

100LED 300W

Product Weight:955g

Inner Box Size:43×9×7.5mm

Outer Box Size:45×20×40cm

Quantity Per Carton:10PCS

120LED 360W

Product Weight:1115g

Inner Box Size:50×9×7.5mm

Outer Box Size:52×20×40cm

Quantity Per Carton:10PCS

140LED 420W

Product Weight:1275g

Inner Box Size:52×40×40mm

Outer Box Size:60×20×40cm

Quantity Per Carton:10PCS

160LED 480W

Product Weight:1435g

Inner Box Size:58×9×7.5mm

Outer Box Size:70×20×40cm

Quantity Per Carton:10PCS

Specifications

200LED 600W

Product Weight:1755g

Inner Box Size:91×9×7.5mm

Outer Box Size:93×2×40cm

Quantity Per Carton:10PCS

220LED 660W

Product Weight:1915g

Inner Box Size:105×9×7.5mm

Outer Box Size:52×35×37cm

Quantity Per Carton:50PCS

260LED 720W

Product Weight:2235g

Inner Box Size:135×9×7.5mm

Outer Box Size:137×20×40cm

Quantity Per Carton:10PCS

320LED 960W

Product Weight:2715g


Inner Box Size:135×9×7.5mm

Outer Box Size:137×38×40cm

Quantity Per Carton:10PCS




Mounting Options:




LED LIGHT BARS
THE SIZE IS MORE SUITABLE
Lightweight design, easy to install.

Wider application, more suitable size.


INSTALLATION INSTRUCTIONS



1 Hold fixture up to the truck, identify mounting location. Be sure there is nothing on the back side of desired location that would get damaged by a drill bit.




2 Decide whether you are going to use the pedestal mount, or the trunnion mount with the fixture. Remove the unneeded mounting bracket and set aside.




3 If using the pedestal mounting bracket, install the bracket in the desired location on the fixture. To move it, remove the U shaped lower bracket component using the two 12mm bolts on either side of the bracket, use an allen wrench to remove the mounting plate. Using a pick tool, pull the rubber plugs out of the desired mounting location. Align the bracket and re-install the hardware using a dab of locktite blue.




4 If using the trunnion mount, remove the black plugs on either side of the fixture. Align the mounting hardware for the center hole on the bracket. Tighten the hardware to snug the fixture. Once the center bolt is installed, install the second bolt and tighten until snug.



5 Ensure there are no wires or obstructions behind the desired mounting location.




6 Drill mounting hole.




7 Insert mounting bolt through bracket and desired mounting surface. Install washer and tighten locknut. Seal hole location with silicone if needed.



8 Build electrical circuit and connect wiring to fixture.



9 Test performance of fixture and set desired aim.



10 Tighten hardware to prevent fixture from moving.